


NOTES:
POST TO BE INSTALLED IN
A VERTICALLY PLUMB
POSITION.

POST CAN BE METAL OR
WOOD. ALL WOOD SHALL
BE RESISTANT TO ROT.

ALL FASTENERS SHALL
BE STAINLESS STEEL
1-1/2" IN LENGTH.

ALL POSTS TO BE
INSTALLED ALONG
FOREST CONSERVATION
EASEMENT LINE AT 50'
INTERVALS OR PER
FORESTRY INSPECTOR'S
INSTRUCTIONS.

SIGN TEXT SHOULD READ:



CAPPED POST OR
BEVELED EDGE
5 1/2"X8" METAL FOREST
CONSERVATION SIGNS
(AS SPECIFIED BY CITY OF
ROCKVILLE, SEE
ENLARGEMENT)

6x6x8 PRESSURE POST

ADD CONCRETE TO
CREATE FIRM
FOUNDATION. SLOPE TOP
OF FOOTING FOR
POSITIVE DRAINAGE.

FINISHED GRADE

INSTALL GRAVEL SUMP
PRIOR TO POST
INSTALLATION. OVER
EXCAVATE POST HOLE AS
NECESSARY.



APPROVED BY:

W. J. Hall
CITY FORESTER

DATE:

3/30/17

PERMANENT FOREST/TREE CONSERVATION
EASEMENT SIGNAGE

DETAIL
A-9